

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3338	(ic (integrat\$3 near3 circuit\$1) processor\$1 cpu microprocessor\$1 controller\$1) with (each different\$3 separat\$3 another\$1 other\$1 many) with ((secret\$2 near3 information\$1) (secret\$2 near3 data\$1) key\$1 password\$1 encrypt\$4 cipher\$9 crypto\$9)	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L2	306973	(location\$1 area\$1 address\$3 module\$1 pin\$1 slot\$1) near6 (memor\$3 storage\$1 rom ram eeprom eeprom)	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L3	57768	(ic (integrat\$3 near3 circuit\$1)) with (processor\$1 cpu microprocessor\$1 controller\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L4	11016	L2 with ((secret\$2 near3 information\$1) (secret\$2 near3 data\$1) key\$1 password\$1 encrypt\$4 cipher\$9 crypto\$9)	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L5	1297	L4 and L3	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L6	310	L5 and (process\$2 near4 (same\$1 identical\$2 mirror\$1))	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L7	54	L6 and L1	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L8	35497	(ic chip\$1 (integrat\$3 near3 circuit\$1)) near6 ((secret\$2 near3 information\$1) (secret\$2 near3 data\$1) key\$1 password\$1 encrypt\$4 cipher\$9 crypto\$9 pin code\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L9	51683	L3 and process\$2	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L10	11436	((713/152) or (713/189) or (713/190) or (713/192) or (713/193) or (713/375) or (713/400) or (726/34) or (711/1) or (711/5) or (711/100) or (711/101-105) or (711/111) or (711/147) or (711/148) or (711/150) or (711/152) or (71/209) or (380/201) or (380/228) or (380/240) or (380/255)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L11	1542	L10 and L9	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L12	422	L11 and L8	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09

## EAST Search History

L13	20155	(ic chip\$1 (integrat\$3 near3 circuit\$1)) near8 (location\$1 area\$1 address\$3 module\$1 pin\$1 slot\$1) near4 (memor\$3 storage\$1 rom ram eeprom eeprom)	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L14	24	L13 with ((secret\$2 near3 information\$1) (secret\$2 near3 data\$1) key\$1 password\$1 encrypt\$4 cipher\$9 crypto\$9) with (each different\$3 separat\$3 another\$1 other\$1 many)	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L15	6	L12 and L14	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L16	128	L13 with ((secret\$2 near3 information\$1) (secret\$2 near3 data\$1) key\$1 password\$1 encrypt\$4 cipher\$9 crypto\$9 pin code\$1) with (each different\$3 separat\$3 another\$1 other\$1 many)	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L17	33	L9 and L16	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L18	33	(ic (integrat\$3 near3 circuit\$1)) and L17	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L19	16	L18 and ((secret\$2 near3 information\$1) (secret\$2 near3 data\$1) key\$1 password\$1 encrypt\$4 cipher\$9 crypto\$9)	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L20	1232	L4 and L9	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L21	46892	L2 with ((secret\$2 near3 information\$1) (secret\$2 near3 data\$1) key\$1 password\$1 encrypt\$4 cipher\$9 crypto\$9 pin code\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L22	4967	L9 and L13	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L23	1892	L8 and L22	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:09
L24	183	L12 and L13	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:19
L25	23	L24 and ((tamper\$3 obscur\$4 fault\$1 fraud\$7 unsafe malicious\$2 insecur\$4 secur\$6 unsecur\$6) near5 (detect\$4 monitor\$3 scan\$4))	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:57
L26	3177	(tamper\$3 obscur\$4 fault\$1 fraud\$7 unsafe malicious\$2 insecur\$4 secur\$6 unsecur\$6) near5 (detect\$4 monitor\$3 scan\$4) near8 (memor\$4 rom ram eeprom eeprom storage\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:51

## EAST Search History

L27	10	L24 and I26	USPAT; IBM_TDB	OR	OFF	2007/09/12 15:57
-----	----	-------------	-------------------	----	-----	------------------